# DEPARTMENT OF NATURAL RESOURCES

SUBMIT RIPLICATE\*
(Other instructions on reverse side)

BEST COPY

DIVISION OF OIL, GAS, AND MINING 5. Lease Designation and Serial No.

APPLICATION	COD DEDMIT T	O DRILL, DEEPE	N OP DITE	C BACK	6. If Indian, Allotte	e or Tribe Name
Type of Work	FOR PERMIT I	O DRILL, DEEPE	IN, OK PLO	9 BACK	7. Unit Agreement N	· · · · · · · · · · · · · · · · · · ·
Type of Well	<b>6</b>	DEEPEN [	PLUG	BACK [	7. Onk Agreement P	anie
Oil Gea Well Well Name of Operator	Other		Single Zone	Multiple Zone	8. Farm or Lease N	
	MINERALS EXPLO	RATION COMPANY			9. Well No.	81-5
Address of Operator RT 1 BOX 700	52 Blythe, C	A 92225			10. Field and Pool, o	
ocation of Well (Report	location clearly and in	accordance with any State	requirements.*)		MENICACI	
	90' from S line	and 400° from V	V line		11. Sec., T., R., M., and Survey or A	rea
			<u> </u>		SEC 5 T 42	
Distance in miles and di	rection from nearest tow 3 miles fro	m or post office. m Mexican Hat,	J <b>T</b>		12. County or Parris	h 13. State UT
Distance from proposed location to nearest property or lesse line, f (Also to nearest drig, lin	t. 400°		of acres in lease		of acres assigned s well $2\frac{1}{2}$	· 1
Distance from proposed to nearest well, drilling, or applied for, on this le	location* completed.		posed depth		y or cable tools rotary	: :
Elevations (Show whether			<del>,</del> 701		22. Approx. date v	vork will start*
4209 gr					December	1, 1983
	1	PROPOSED CASING AND	CEMENTING PRO	GRAM		
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cen	nent
8 3/4"	<u> </u>	17	60'		15 sx	
		17 Goodridge sands		of 4½" hig		lve
Propose to d	lowout.		tone. Use c	of 4½" hig		llve
Propose to d	olowout.	Goodridge sands	tone. Use c	EGE	h pressure va	lve
Propose to do to prevent to Plan to comm	olowout.	Goodridge sands	tone. Use c	EGE		alve
Propose to do to prevent to Plan to comm	olowout.	Goodridge sands	tone. Use o	NOV 1	h pressure va	alve
Propose to do to prevent to Plan to comm	olowout.	Goodridge sands	tone. Use o	EGE	h pressure va	alve
Propose to do to prevent to Plan to comm	olowout.	Goodridge sands	tone. Use o	NOV 1	h pressure va	alve
Propose to do to prevent to prevent to Plan to communication Phone # 619	plowout.  mence drilling  922-222	Goodridge sands on December 1, 1 Jack Williams	tone. Use of 1983	NOV 1  DIVISION GAS 8	h pressure va 4 1983 ON OF MINING	nd proposed new
Propose to do to prevent he plan to communicate the propose of the	plowout.  mence drilling  922-222	Goodridge sands on December 1, 1 Jack Williams	tone. Use of 1983	NOV 1  DIVISION GAS 8	h pressure va 4 1983 ON OF MINING	nd proposed new
Propose to do to prevent he prevent he prevent he plan to common Phone # 619  ABOVE SPACE DESCRIVE zone. If proposal is renter program, if any.	plowout.  mence drilling  922-222	Goodridge sands on December 1, Jack Williams  AM: If proposal is to decionally, give pertinent data	tone. Use of 1983	NOV 1  DIVISION GAS 8	h pressure va 4 1983 ON OF MINING	nd proposed new
Propose to do to prevent he plan to common Phone # 619  ABOVE SPACE DESCRIVE zone. If proposal is renter program, if any.	nence drilling  922-222	Goodridge sands on December 1,  Jack Williams  AM: If proposal is to decionally, give pertinent data	pen or plug back, g	NOV 1  DIVISION GAS 8	h pressure value 4 1983  ON OF MINING  ent productive zone as red and true vertical	nd proposed new depths. Give blo
Propose to do to prevent he plan to common Plan to common Phone # 619  ABOVE SPACE DESCRIVE zone. If proposal is enter program, if any.  Signed	Dlowout.  Dence drilling  922-1222  IBE PROPOSED PROGR  to drill or deepen direct	Goodridge sands on December 1, 1  Jack Williams  AM: If proposal is to decionally, give pertinent data	pen or plug back, g	NOV 1  DIVISIONL, GAS 8	h pressure value 4 1983  ON OF MINING  ent productive zone as red and true vertical	nd proposed new depths. Give blo
Propose to do to prevent to preve	Dlowout.  Dence drilling  922-1222  IBE PROPOSED PROGR  to drill or deepen direct	Goodridge sands on December 1, 1  Jack Williams  AM: If proposal is to decionally, give pertinent data	pen or plug back, g	NOV 1  DIVISIONL, GAS 8	h pressure value 4 1983  ON OF MINING  ent productive zone as red and true vertical	nd proposed new depths. Give blo

COMPANY _	W.	ILLIAI	MS RA	NCHE:	<u>S</u>							
LEASE								WELL	NO	81	-5	
SEC												
LOCATION _	400 400	FEET FEET	FROM FROM	THE THE	SOU WES	TH L	INE	AND				
ELEVATION	4209	9 UNGI	RADED	GROU	JND							
SAN J	JAN (	COUNTY	<u>.                                    </u>							JTAI	I	
		! ! !							 			
		; ; ;		· <del>-</del>					     			
		! ! !							 			
		1				5			1 1 1 1			
		     			-   -				 			N
		1							1 1 1 1			
400' @,000		! ! !							! 			
SCALE - 1 INC THIS IS TO SURVEYS MA THE BEST OF	CERTIF DE BY I	Y THAT 1	THE ABO	ERVISIO	T WAS	PREPA	ARED I	FROM I	FIELD NO	TES C	OF AC	TUAL
SEAL:	<i>M</i> 1 KW	OWLEDGE	AND BE	ier.	8	Jame		_	Land Surveyo	<u> </u>		
21184222			Sen	temb:	er 1	Utah			S # 1		8.	7
SURVEYED		<del></del>	Seb	r Gino	<u> </u>	,			,	19_		<u>+</u> _

OPERATOR SANJUAN MINEARIC	EXPLORATION	CO DATE 11-21-83
WELL NAME NORDIEN 81-5		
SEC <u>SWSW</u> 5 T 42 5	R 19E	COUNTY SAN JUAN
43 037-30458 API NUMBER		TYPE OF LEASE
POSTING CHECK OFF:		
INDEX	MAP	HL
NID		PI
PROCESSING COMMENTS:		APPROVED BY THE STATE OF UTAH DIVISION OF OF UTAH DIVISION OF
		OIL, GAO: 11-21
		BY:
./		B1. —
CHIEF PETROLEUM ENGINEER REVIEW:		
CHIEF, PETROLEUM ENGINEER REVIEW:		
11/21/83		c-3-a 156-2 4-15-80 CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: A-3		
APPROVAL LETTER:  SPACING: A-3  UNIT		c-3-a 156-3 4-15-80 CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: A-3  UNIT  c-3-b		c-3-a 156-3 4-15-80 CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: A-3  UNIT  c-3-b		c-3-a 156-3 4-15-80 CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: A-3  UNIT  c-3-b		c-3-a 156-3 4-15-80 CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: A-3  UNIT  c-3-b		c-3-a 156-3 4-15-80 CAUSE NO. & DATE

RECONCILE WELL NAME AND LOCATION ON APD AG	NINST SAME DATA ON PLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFORMATION	1
VERIFY ADEQUATE AND PROPER BONDING	
AUTHENTICATE IF SITE IS IN A NAMED FIELD,	ETC.
APPLY SPACING CONSIDERATION	
ORDER	
UNIT	
c-3-b	and the second s
с-3-с	
CHECK DISTANCE TO NEAREST WELL.	
CHECK OUTSTANDING OR OVERDUE REPORTS FOR (	PERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL LANGUAC	E ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED AREA, SPECIAL A	PPROVAL LANGUAGE.
VERIFY LEGAL AND SUFFICIENT DRILLING WATER	<b>\</b>

#### November 21, 1983

San Juan Minerals Exploration Company Rt. 1 Box 52
Blythe, California 92225

RE: Well No. Nordeen 81-5 SWSWSSec. 5, T. 425, R. 19 E 400 FSL, 400 FWL San Juan County, Utah

#### Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 156-3 dated April 15, 1980.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Ergineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30958.

Sincerely,

Norman C. Stout Administrative Assistant

NCS/as Encl.

## DIVISION OF OIL, GAS AND MINING

## SPUDDING INFORMATION

NAME OF COMPANY:	SAN JUAN MINI	ERALS			
WELL NAME:	NORDEEN 81-5				
SECTION SWSW 5 T	OWNSHIP42S	_ RANGE_	19E	COUNTY_	SAN JUAN
DRILLING CONTRACTOR	A-I DRILLING	· . · . · . · . · . · . · · · · · · · ·			
RIG #11					
SPUDDED: DATE	12-20-83				
TIME	10:30 AM				
How	Rotary				
DRILLING WILL COMME	NCE		-		
REPORTED BYJill	Johnson		-		
TELEPHONE #619-	922-4422	<del> </del>	-		
DATE 12-21-	83		SIGNED_	AS	
1/9/84 -	Stanted dry Jul Joh	lling	uw 1/8	84 922-1	il from

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

\*REPORT OF WATER ENCOUNTERED DURING DRILLING\*

M	
Well Name & Nymber 102 deas 1 81,5	
Operator Jun Juan Ministal Address Pet 1x	ex 52 Blocke
Contractor a Challeny Address Bland	hallT
Location Silva Sec. 3 T. 428 R. 19	County Lan Chain
Water Sands	
<u>Depth</u> <u>Yolume</u>	Quality
From To Flow Rate or Head	Fresh or Salty
1. Thone encountere	
2	
4.	
(Continue of reverse side if necessar	
Formation Tops	
Remarks	
NOTE: (a) Papart on this form of annidad for the	

- NOTE: (a) Report on this form as provided for in Rule 20, General Rules and Regulations and Rules of Practice and Precedure.
  - (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

## SUBMIT IN DUPLI \* Ulum ED STATES

	DEPART		F THE IN		struction reverse s	ide) 5. LEASE D	ESIGNATION AND SERIAL
		GEOLOGIC	AL SURVEY			fe_	
WELL COL	ADI ETION	OR RECO	MPLETION F	REPORT AN	D LOG*	6. IF INDIA	N, ALLOTTEE OR TRIBE NA
TYPE OF WELL		GAS [	7 7	CEI OKI 741			NAME OF THE PARTY
	WEL		DRY	Other	<del></del> -	7. UNIT AG	REEMENT NAME
. TYPE OF COMP	PLETION: WORK DEE	P- PLUG [	DIFF.			S FARM OR	LEASE NAME
WELL X	OVER L EN	□ BACK	RESVR	Other		3. FARM UM	Nordeen
NAME OF OPERAT						9. WELL NO	0.
ADDRESS OF OPER		erais Axpid	oration Co.				81.5
	1 Box 52	Plutha C	t 02225			10. FIELD A	AND POOL, OR WILDCAT
LOCATION OF WEL	L (Report locatio	on clearly and in	accordance with an	y State requiremen	ta)*	undesi,	gnated
At surface	400 FSL ar						, R., M., OR BLOCK AND SURV
At ton need into	erval reported bel		,	SM	1	OR ARE	
At top prou. Inte	ervar reported ber		ζW	. •		Sec	5 T 42 S R 19
At total depth							
÷			14. PERMIT NO.	DATE	ISSUED	12. COUNTY PARISH	
			43 037 30		1-21-83	San Ju	
DATE SPUDDED			re compl. (Ready t	1 .		REB, RT, GR, ETC.)*	1 2
1-7-84	1-8-84		1-28-84		1209gr	ALS ROTARY TO	4210 OOLS CABLE TOOLS
OTAL DEPTH, MD	& TVD 21. PLUG	G, BACK T.D., MD &	t TVD 22. IF MUL HOW M	TIPLE COMPL.,	23. INTERVA		OLS CABLE TOOLS
270			one z	zone		Surf to T	D   25. WAS DIRECTIONA
PRODUCING INTER	(VAL(S), OF THIS		P, BOTTOM, NAME ()				SURVEY MADE
			75 Coodmidee				
		2/0-2	12 Goograge	e sandstone		4	no
ADE ELECADIC V	No other loca t		75 Goodridge	sandstone		2	no
TYPE ELECTRIC A	ND OTHER LOGS F		75 GOOGLIGGE	sandstone	<del>-</del>	<i>n</i> .	27. WAS WELL CORED
TYPE ELECTRIC A	ND OTHER LOGS F	RUN		· · · · · · · · · · · · · · · · · · ·	in anell)		
TYPE ELECTRIC A	ND OTHER LOGS F	RUN	SING RECORD (Rep	· · · · · · · · · · · · · · · · · · ·		TING RECORD	27. WAS WELL CORED
CASING SIZE	WEIGHT, LB./	CAS	SING RECORD (Rep	oort all string & set	CEMEN		27. WAS WELL CORED
		RUN	SING RECORD (Rep	oort all string & set			27. WAS WELL CORED
CASING SIZE	WEIGHT, LB./	CAS	SING RECORD (Rep	oort all string & set	CEMEN		27. WAS WELL CORED
CASING SIZE	WEIGHT, LB./	CAS	SING RECORD (Rep	oort all string & set	CEMEN		27. WAS WELL CORED
CASING SIZE	WEIGHT, LB.//	CAS	SING RECORD (Rep	oort all string & set	CEMEN		27. WAS WELL CORED NO AMOUNT PULLEI
CASINO SIZE	WEIGHT, LB.//	CAS FT. DEPTH S 270	SING RECORD (Rep	oort all string & set	CEMEN 45 SX	TING RECORD	27. WAS WELL CORED  NO  AMOUNT PULLEI
CABING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270 LINER RECORI	SING RECORD (Rep	port all string & set	45 sx 30.	TUBING RECORD	27. WAS WELL CORED  NO  AMOUNT PULLEI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	oort all string a set    C	45 SX  30.  8128  2 3/8	TUBING RECORD  TUBING RECORD	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	SCREEN (MD)	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEN	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	oort all string a set    C	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEN	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	SCREEN (MD)	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEN	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	SCREEN (MD)	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMERAL AMOUNT AND KE	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep	SCREEN (MD)	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMERAL AMOUNT AND KE	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI
SIZE  PERFORATION REC	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)	SING RECORD (Rep ET (MD) HO 6 ] SACKS CEMENT*	SCREEN (MD)  82. AC DEPTH IN TERVA	30.    30.   2 3/8    CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMERAL AMOUNT AND KE	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI
SIZE  PERFORATION REC	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)  ze and number)	SING RECORD (Rep ET (MD) HO 6 ] SACKS CEMENT*	SCREEN (MD)  SCREEN (MD)  SCREEN IN TERVA	30.  SIZE  2 3/8  CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMENTAL AMOUNT AND KEY ONCE	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or
CASING SIZE	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)  ze and number)	SING RECORD (Rep ET (MD) HO 6 ] SACKS CEMENT*	SCREEN (MD)  SCREEN (MD)  SCREEN IN TERVA	30.  SIZE  2 3/8  CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMENTAL AMOUNT AND KEY ONCE	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED
SIZE  PERFORATION REC	WEIGHT, LB./	CAS FT. DEPTH S 270  LINER RECORI BOTTOM (MD)  ze and number)	SING RECORD (Rep ET (MD) HO 6 ] SACKS CEMENT* PRO (Flowing, gas lift, p	SCREEN (MD)  SCREEN (MD)  SCREEN IN TERVA	30.  SIZE  2 3/8  CID, SHOT, FI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMENTAL AMOUNT AND KEY ONCE	AMOUNT PULLER AMOUNT PULLER CORD MD) PACKER SET (MI NT SQUEEZE, ETC. IND OF MATERIAL USED  L STATUS (Producing or packer)
SIZE  PERFORATION REC  NONe	TOP (MD)  CORD (Interval, side)  HOURS TESTED	CAS FT. DEPTH S  270  LINER RECORI BOTTOM (MD)  ze and number)	SING RECORD (Rep ET (MD) Ho 6 ]  SACKS CEMENT*  PRO (Flowing, gas lift, p	SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  B2. A4  DEPTH INTERVA	30.  SIZE  2 3/8  CID, SHOT, FI  L (MD)  type of pump)	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMENTAL AMOUNT AND KEEL AMOUNT AND K	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or rout-in) POW  BL. GAS-OIL RATIO
SIZE  PERFORATION REC  NONe  FIRST PRODUCT:	WEIGHT, LB./	CAS  FT. DEPTH S  270  LINER RECORI BOTTOM (MD)  Zee and number)  UCTION METHOD (  CHOKE SIZE  1 1/8	PROD'N. FOR TEST PERIOD  OIL—BBL.	SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  DUCTION  numping—size and  OIL—BBL.  GAS—MCF.	30.  SIZE  2 3/8  CID, SHOT, FI  L (MD)  Eype of pump)  GAS—MCF.  TSTI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEI  AMOUNT AND KI  NONE  WATER—BI  OTER—BBL.	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or tut-in) POW  BL. GAS-OIL BATIO  Nil GRAVITY-API (CORR.
SIZE  SIZE  PERFORATION REC  NONE  FIRST PRODUCT:	WEIGHT, LB./	CAS FT. DEPTH S  270  LINER RECORI BOTTOM (MD)  see and number)  UCTION METHOD (  CHOKE SIZE  1 1/8	PROD'N. FOR TEST PERIOD OIL.—BBL.	SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  DUCTION  numping—size and  OIL—BBL.	30.  SIZE  2 3/8  CID, SHOT, FI  L (MD)  Eype of pump)  GAS—MCF.  TSTI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMENTAL AMOUNT AND KIND AND KIND AND KIND AND KIND AND KIND AND AND AND AND AND AND AND AND AND A	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or rut-in)  BL. GAS-OIL RATIO  nil
SIZE  SIZE  PERFORATION REC  NONe  FIRST PRODUCT:  OF TEST  1-28-48  7. TUBING PRESS.	WEIGHT, LB./	CAS  FT. DEPTH S  270  LINER RECORD  BOTTOM (MD)  CHOKE SIZE  1 1/8  CAS  CAS  CAS  CAS  CAS  CAS  CAS  CA	PROD'N. FOR TEST PERIOD  OIL—BBL.  ITE   OIL—BBL.	SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  DUCTION  numping—size and  OIL—BBL.  GAS—MCF.	30.  SIZE  2 3/8  CID, SHOT, FI  L (MD)  Eype of pump)  GAS—MCF.  TSTI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEI  AMOUNT AND KI  NONE  WATER—BI  OTER—BBL.	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or tut-in) POU  BL. GAS-OIL RATIO  Nil GRAVITY-API (CORE.  38
SIZE  SIZE  PERFORATION REC  NONe  FIRST PRODUCT:  OF TEST  1-28-48  7. TUBING PRESS.	WEIGHT, LB./	CAS  FT. DEPTH S  270  LINER RECORD  BOTTOM (MD)  CHOKE SIZE  1 1/8  CAS  CAS  CAS  CAS  CAS  CAS  CAS  CA	PROD'N. FOR TEST PERIOD  OIL—BBL.  ITE   OIL—BBL.	SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  SCREEN (MD)  DUCTION  numping—size and  OIL—BBL.  GAS—MCF.	30.  SIZE  2 3/8  CID, SHOT, FI  L (MD)  Eype of pump)  GAS—MCF.  TSTI	TUBING RECORD  TUBING RECORD  DEPTH SET (  270  RACTURE, CEMEI  AMOUNT AND KI  NONE  WELL  OATER—BBL.  OTEST WITN	AMOUNT PULLEI  AMOUNT PULLEI  CORD  MD) PACKER SET (MI  NT SQUEEZE, ETC.  IND OF MATERIAL USED  L STATUS (Producing or tut-in) POU  BL. GAS-OIL RATIO  Nil GRAVITY-API (CORE.  38

\*(See Instructions and Spaces for Additional Data on Reverse Side)

TITLE \_\_\_\_\_\_ cSecretary



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

July 6, 1984

San Juan Minerals Exploration Company Route 1 Box 52 Blythe, California 92225

Gentlemen

SUBJECT: INCOMPLETE COMPLETION REPORTS

This letter is to advise you that the back sides of the "Well Completion or Recompletion Report and Log" for the attached list of wells are due and have not been filed with this office as required by our rules and regulations.

We are sure this was an oversight on your part and so we are requesting that you complete the enclosed forms and forward them to this office as soon as possible.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Thank you for your prompt attention to the above matter.

Sincerely

Claudia L. Jones

Well Records Specialist

clj Attachment Enclosure

cc Dianne R. Nielson Ronald J. Firth John R. Baza File Well No. Goodridge 75 API #43-037-30527 Sec. 8, T. 42S., R. 19E. NW/NW San Juan County, Utah

Well No. Goodridge 81.3 API #43-037-30960 Sec. 7, T. 42S., R. 19E. SE/NE San Juan County, Utah

Well No. Nordeen 81.4 API #43-037-30957 Sec. 5, T. 42S., R. 19E. SW/SW San Juan County, Utah

Well No. Nordeen 81.5 API #43-037-30958 Sec. 5, T. 42S., R. 19E. SW/SW San Juan County, Utah

## SUBMIT IN DUPLICA. UNITED STATES

(See other in

Form approved. Budget Bureau No. 42-R355.5.

	DEPARTME	NT OF THE	INT	ERIOR		reverse side)	5. LEASE DES	IGNATION	I AND SERIA	il No.
		OGICAL SUF					6. IF INDIAN,	ALLOTTI	EE OR TRIBE	NAME
WELL COM	PLETION OR	RECOMPLETION	ON RE	PORT A	ND	LOG*	•			
ia. TYPE OF WELL:		GAS WELL DR		ther			7. UNIT AGRE	EMENT 1	AAM10	
b. TYPE OF COMPL		PLUG DIFF.	П.				S. FARM OR	LEASE N	AME	
WELL X	VER L EN L	PLUG DIFF. BACK RESV	n. 🔲 O	ther			12	24.2	2211	
2. NAME OF OPERATOR	Juan	Theresa	ls	EUD			9. WELL NO.	R	15/	
3. ADDRESS OF OPERAT	TOR	50 01	1/				10. FIELD AN	D POOL,	OR WILDCAT	1
1st	(Report location clear	ly and in accordance	with any	State require	ments)*		Minis	DIE	matec	<u>C</u>
At surface	00 1SK 4	- 400 A	WX	,			11. SEC., T., OR AREA			
At top prod. inter	val reported below						See	5	54211	C192
At total depth		and the same of th			ATE ISS	II WTD	12. COUNTY		13. STATE	-
	٠.	14. PEI	RMIT NO.	2004-1	11-	21-83	PARISH	VIAN	Uto	• 150
15. DATE SPUDDED	16. DATE T.D. REACHE	17. DATE COMPL.	Ready to	prod.)   18.	ELEVAT	IONS (DF, REB	RT, GR, ETC.	19. EL	EV. CASINGH	IEAD
15. DATE SPUDDED	1-8-84	1 1-2	8-8	4	4	-207	_		CABLE TO	)
20. TOTAL DEPTH, MD &		T.D., MD & TVD 22	IF MULT	TPLE CON PL.,	1	3. INTERVALS DRILLED BY	ROTARY TOO	)LS	CARLE TO	OL#
200			HOW MA		<u>2)  </u>		White to	25.	WAS DIRECT	TIONAL.
24. PRODUCING INTERV	AL(S), OF THIS COMPI	ETION-TOP, BOTTOM,	NAME (M	DAND TIDE					SURVEY MA	DR
19 7	10 - 200	Soak	Aa	0/ K2/18	201	wton	2 J		MO	
26. TYPE BLECTRIC AN	ND OTHER LOGS RUN							27. WA	MELL CON	THO
					- 70			<u></u>	JACE!	
28.		CASING RECO	ORD (Rep	ort all strings	201.55 t	CEMENTIN	G RECORD	<del></del> 1	AMOUNT P	ULLED
CASING SIZE	WEIGHT, LB./FT.	270	-	1/0	7	45€	70			
412		270		<u> </u>						·
					<u> </u>	30.	TUBING REC	CORD		
29.		R RECORD		SCREET (M		SIZE	DEPTH SET (	<del></del>	PACKER SE	T (MD)
SIZE	TOP (MD) BOT	rom (MD) SACKS C	, B DI BILL I			13/8	2/0			
		DEACN	<b>/</b> CD							
31. PERFORATION REC	ORD (Interval, size an	a AMEDIETY	LU	82.	ACII	, SHOT, FRA	CTURE, CEME			
				DEPTH IN	TERVAL	(MD)	AMOUNT AND K	IND OF B	AATERIAL US	
	10 /	AUG 2 1	284				word			-
11	one									
	•	DIVISION O	F OIL							
33.*		GAS & MIN	IN GRO	DUCTION				I CTATE	8 (Producin	a or
DATE FIRST PRODUCT	ION PRODUCTIO	N METHOD (Flowing,	gas lift, p	umpingsize	and ty	pe of pump)	8	hut-in)	angadispotent to the contract of the print.	
		nno.	o'n, for	OIL-BBL.		GAS-MCR.	WATER-B	BL.	GAS-OIL RA	TIO
DATE OF TEST	HOURS TESTED	1/8	r PERIOD	/	1	10/1	7	l our c	PLECE BAVITY-API	(CORR.)
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED OIL- 24-HOUE BATE	BBL.	348-	-MCF.	71/1 WAT	ER-BBL.		3,8	
24 DIRPOSITION OF	AB (Sold, used for fuel	, vented, etc.)			7	7/1	TEST WIT	NESSED P	31 )	/
						·	De	0265	fill	4
35. LIST OF ATTACH				1						1
36. I hereby certify	that the foregoing a	nd attached informat	lon is com	iplete and con	rect as	determined f	l	- 1	7/	1/8
	Luce 15	Fren ,	TITLE _	(-U/		)	Da	TE _	1	

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency.

Or both, pursuant to applicable Federal and/or State laws and regulations. Any secessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached beneto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Hom 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State Hem 12: Indicate which elevation is used as reference (where not otherwise shows) for depth measurements given in other spaces on this form and in any attachments. Hems 22 and 24: If this well is completed for separate production from more than one interval sone (mpltiple completion), so state in item 22, and in item 24 above the producing interval, or intervals, topics), bottom(s) and name(s) (if any) for only the interval reported in item 38. Submit a separate report (page) on this form, adequately identified, or Federal office for specific instructions.

nrately produced. (See instruction for thems 22 and 24 above.)

se details of any multiple stage cementing and the lecution of the cementing tool. ertinent to such interval. or intervals, top(s), bottom(s) and name(s) (if any) for ealy the laterval regaditional interval to be separately produced, shewing the additional data pertinuates Coment": Attached supplemental records for this well should show the d

port on this form for each interval to be a

	**												٠		
			E												
			18	and a	+ ,			!							
			W VEET					!							
		٠	1	,									,	· ·	, <u>, , , , , , , , , , , , , , , , , , </u>
	9	ž													
			E												
			KBAB.												
	SECTORIC NARKER	_	*												
	3		.		: : : : : : : : : : : : : : : : : : :										
1	3		-	•	7112	- (	•			•					
ı				an a sa sa	* 1							••,			
		i			T i							in Zitya			
				e delle gesy See ■		` .	1 .14								•
	1			ල් බ .	nJ										
				$\frac{1}{2}$	-33							1000		٠.	
				oontrol	ri ri							4		,	
	Te de la constant de				در. 33										
				13	் ம வ						•"				
			10	is porosity-permeability	) Frescht										
		DERIFTSON, CONTRACTS, STC.	Goodminge sands tone,	୍ଷିଷ୍ଠ	"دند										
			300	F.i	here dray porori		*							•	
		8	3	d-7	. G										
1		Í	(K)	. [3] ) • []	2										
		-	-	្ស័ដ្ឋ	į		÷	,							
	1	Ĭ	3	3,						•					
			. 61												
8	] -			e E	A189										
li			30	3	· 급										
	2		رستان انتائا ساندرستان	Sends tone	175 G										
li	D, TIME TOOL OFER, FLOWING	_	SOLAL WETCH THE	or o	F						·······		·		
	8		ွှ	9 0 1	**************************************				,						
		POLLO	iji •r-t		ව්	•									•
		2		1000 K	0 5									ż	•
	-	_	 G	(g) (a / 9)		Antonio Propinsi di Antonio			a godowa	*****	er die Espera	albitar betar esti	nhzn		. a. dr Menne Matelante
			310	Tron U.	LTO										
3		2	وړ. نب	24.6	. 273		4.				•				
18	4	•		<u> </u>									٠		
100		_	-1	33	erd.					·					
OF FORCE			000	130 130 130 130 130 130 130 130 130 130	ପ୍ର					, •					
		1	Production at pre	Production Poresity -	Permeath 11th										
3	E	PORMATION.	, ,		F-4						•			•	
STANFORM		Ē		Pale.							*	. •	•	•	
21		1												•	· 3.
÷ +•	٠.	•		57.1				4	F 1						

# S. . . E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

	DIVISION OF OIL, GAS AND MI	NING		5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY	NOTICES AND REPORTS	S ON WEI.	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill n	ew wells, significantly deepen existing wells below cuterals. Use APPLICATION FOR PERMIT TO DRILL in	rrent bottom-hole de s	th, reenter plugged welfs, or to	7. UNIT OF CA AGREEMENT NAME:
TYPE OF WELL     OIL WELL				8. WELL NAME and NUMBER: see attached list
2. NAME OF OPERATOR:				9. API NUMBER:
San Juan Minerals Explor	ation Inc. NO8/D			
3. ADDRESS OF OPERATOR:		04504	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:  Mexican Hat
Hwy 163 P.O. Box 310367	Mexican Hat Ut	84531	(435) 683-2298	Mexican nat
FOOTAGES AT SURFACE:				COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:			STATE: UTAH
OUTOW A DOL	CORRIATE POVES TO INDIOA	EE NATURE	OF NOTICE DED	
	ROPRIATE BOXES TO INDICAT			JKI, UK UINEK DAIA
TYPE OF SUBMISSION	ACIDIZE	DEEPEN	YPE OF ACTION	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONS		TEMPORARILY ABANDON
Approximate data work was start.	CHANGE TO PREVIOUS PLANS	OPERATOR		TUBING REPAIR
	CHANGE TUBING	PLUG ANE		VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACE		WATER DISPOSAL
(Submit Original Form Only)		<u></u>	` ON (START/RESUME)	WATER SHUT-OFF
Date of work completion:	CHANGE WELL STATUS  COMMINGLE PRODUCING FORMATIONS	=	ION OF WELL SITE	other: change of operator
	CONVERT WELL TYPE	_	ETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all			
(see attached List) To: \ Wesgra Corporation Is Bo	nange effective as of April 30 200	0367 Mexic⊲ı 0.	vells in San Juan Co n Hat Ut. 84531.	ounty at Mexican Hat,
NAME (PLEASE PRINT) Clint How SIGNATURE	ell Havelf	TI11	President 4/20/2006	
This space for State use only)	/			
ADDDOVED	512 106			RECEIVED

(5/2000)

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

APR 2 4 2006

well name	api	qtr_qtr	sec	twsp	rng	well	stat	1 num
GEBAUER FEDERAL 2	4303730190	SENE	07		190E	_	S	UTU-7303
SUTHERLAND FEDERAL 97-4	4303731784	NESW	05		190E		S	UTU-7303D
NORDEEN 1	4303720721	NENW	05		190E		S	FEE
NORDEEN 5	4303720722	SWNW	05		190E		P	FEE
NORDEEN 3	4303730149	NENW	05		190E	<u></u>	P	FEE
WILM RNCH GDRDGE 12	4303730432	NWNW	08		190E		P	FEE
GOODRIDGE 74	4303730526	NWNW	28	420S			S	FEE
GOODRIDGE 75	4303730527	NWNW	38	420S				FEE
GOODRIDGE 80.2	4303730561	NWNW	28				P	FEE
GOODRIDGE 80.3	4303730562	NWNW	38		190E		P	FEE
GOODRIDGE 80.4	4303730563	NWNW	58		190E		P	FEE
GOODRIDGE 80.1	4303730570	NWNW	08	420S			S	FEE
NORDEEN 80.7	4303730584	SESW	05	420S			P	FEE
NORDEEN 80.6	4303730585	SESW	05	420S			S	FEE
GOODRIDGE 80.5	4303730680	NWNW	08				P	FEE
NORDEEN 81-4	4303730957	SWSW	05				S	FEE
NORDEEN 81-5	4303730958	swsw	05	420S			S	FEE
GOODRIDGE 81-3	4303730960	SENE	07	420S			S	FEE
J & L 3	4303731207	NWSW	06	420S			TA	FEE
NORDEEN 86-6	4303731254	SENW	05	420S			S	FEE
GOODRIDGE 91-2	4303731605	SENE	07	420S			S	FEE
GOODRIDGE 91-7	4303731613	SWNW	08		190E		S	FEE
GOODRIDGE 91-16	4303731634	NENE	07		190E		S	FEE
GOODRIDGE 91-12	4303731637	NENE	07		190E		S	FEE .
GOODRIDGE 1	4303731647	SENE	07	420S				FEE
J&L 3-X	4303731669	NESW	06	420S			S	FEE
DICKENSON/HOWARD 1	4303731845	NWSW	05	420S				FEE
UTAH 1	4303730101	NWSW	07	420S	190E	OW	PA	FEE
NELWYN A NORDEEN 2	4303730104	SENW	05	420S	190E	ow	PA	FEE
NELWYN NORDEEN 3	4303730108	SENW	()5	420S	190E	OW	PA	FEE
NORDEEN 1A	4303730128	NENW	06	420S	190E	OW	PA	FEE
NORDEEN 2-A	4303730161	NENW	06	420S	190E	ow	PA	FEE
NORDEEN 7	4303730194	NENW	05	420S	190E	OW	PA	FEE
NORDEEN 11	4303730480	SWSW	05	420S	190E	D	PA	FEE
NORDEEN 80.13	4303730581	SESW	05	420S	190E	D	PA	FEE
GOODRIDGE 81-1	4303730961	SWNW	08	420S	190E	OW	PA	FEE
GOODRIDGE 71	4303730968	NWNW	08	420S	190E	D	PA	FEE
NORDEEN 86-4	4303731253	SENW	05	420S	190E	D	PA	FEE
NORDEEN 86-8	4303731255	SWNE	05	420S	190E	ow	PA	FEE
NORDEEN 86-10	4303731256	SENW	05	420S	190E	OW	PA	FEE
CROSSING NO 2 8	4303731445	SWSE	07	420S	190E	OW	PA	FEE
CROSSING NO 2 12	4303731446	SWSE	07	420S	190E	ow	PA	FEE
GOODRIDGE 91-10	4303731609	NENE	07	420S	190E	OW	PA	FEE
GOODRIDGE 91-5	4303731611	SENE	07	420S	190E	D	PA	FEE
GOODRIDGE 91-4	4303731614	SENE	07	420S	190E	OW	PA	FEE
GOODRIDGE 2	4303731640	NWNW	()8	420S	190E	OW	PA	FEE
GOODRIDGE 92-3	4303731652	NWNE	07	420S	190E	OW	PA	FEE

#### **OPERATOR CHANGE WORKSHEET**

ROUTING 1. DJJ

1. DJJ 2. CDW

Change of Operator (Well Sold)

Designation of Agent/Operator

#### X Operator Name Change

Merger

The operator of the well(s) listed below	v nas change	d, effect	ive:	4/30/2006							
FROM: (Old Operator):				TO: ( New Operator):							
N0810-San Juan Minerals Exploration Inc.				N1060-Wesgra Corporation							
Hwy 163 PO Box 310367				PO Box 310367							
Mexican Hat, UT 84531			Mexican Hat, UT 84531								
Phone: 1-(435) 683-2298				1							
C	Phone: 1-(435) 683-2298  CA No.  Unit:										
WELL(S)											
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL			
			<u></u>		NO	TYPE	TYPE	STATUS			
SUTHERLAND FEDERAL 97-4	05	420S		4303731784	9080	Federal	ow	S			
NORDEEN 1	05	420S	190E	4303720721	490	Fee	ow	S			
NORDEEN 5	05	420S		4303720722	490	Fee	ow	P			
NORDEEN 3	05	420S	190E	43()3730149	490	Fee	ow	P			
NORDEEN 80.7	05	420S	190E	4303730584	490	Fee	ow	P			
NORDEEN 80.6	05	420S	190E	4303730585	490	Fee	ow	S			
NORDEEN 81-4	05	420S	190E	4303730957	490	Fee	ow	S			
NORDEEN 81-5	05	420S	190E	4303730958	490		ow	S			
NORDEEN 86-6	05	420S	190E	4303731254	490		ow	S			
L 3	06	420S	190E	43(3731207	10691		ow	TA			
GEBAUER FEDERAL 2	07	420S	190E	4303730190		Federal	ow	S			
GOODRIDGE 81-3	07	420S	190E	4303730960	11206		ow	S			
WILM RNCH GDRDGE 12	08	420S		4303730432	495		ow	P			
GOODRIDGE 74	08	420S		4303730526	495		ow	S			
GOODRIDGE 75	08	420S		4303730527	495		ow	S			
GOODRIDGE 80.2	08	420S		4303730561	495		ow	P			
GOODRIDGE 80.3		420S		4303730562	495		ow	P			
GOODRIDGE 80.4				4303730563	495		ow	P			
GOODRIDGE 80.1				4303730570	495		ow	S			
GOODRIDGE 80.5				4303730680	490		low	P			
			-/ 02		7,70	100	10 W	1			

#### OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on:

4/24/2006

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on:

4/24/2006

670418-0142

3. The new company was checked on the Department of Commerce, Division of Corporations Database on:

4/26/2006

4. Is the new operator registered in the State of Utah:5. If NO, the operator was contacted contacted on:

\_\_\_\_\_

6a. (R649-9-2)Waste Management Plan has been received on:

requested 4/26

YES Bus ness Number:

6b. Inspections of LA PA state/fee well sites complete on:

moving PA fee wells to new company

6c. Reports current for Production/Disposition & Sundries on:

5/1/2006

7. Federal and Indian Lease Wells: The BLM and or the BL or operator change for all wells listed on Federal or Indian leases on:		-
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for v	vells listed on:	n/a
<ol> <li>Federal and Indian Communization Agreements ("C The BLM or BIA has approved the operator for all wells listed with</li> </ol>	hin a CA on:	n/a
10. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposed	on has approved UIC osal well(s) listed on	C Form 5, <b>Transfer of Authority to Inject,</b> n: <u>n/a</u>
DATA ENTRY:  1. Changes entered in the Oil and Gas Database on:	5/3/2006	
•		5/3/2006
2. Changes have been entered on the Monthly Operator Change Spre	ead Sheet on:	3/3/2000
3. Bond information entered in RBDMS on:	5/3/2006	-
4. Fee/State wells attached to bond in RBDMS on:	5/3/2006	_
5. Injection Projects to new operator in RBDMS on:	n/a	<del>-</del>
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		merger
FEDERAL WELL(S) BOND VERIFICATION:  1. Federal well(s) covered by Bond Number:		
INDIAN WELL(S) BOND VERIFICATION:  1. Indian well(s) covered by Bond Number:	n/a	
FEE & STATE WELL(S) BOND VERIFICATION:  1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number	007230
2. The <b>FORMER</b> operator has requested a release of liability from their The Division sent response by letter on:	r bond on: inoving PA fee	4/24/2006 e wells to new company
LEASE INTEREST OWNER NOTIFICATION:		
3. (R649-2-10) The <b>FORMER</b> operator of the fee wells has been conta of their responsibility to notify all interest owners of this change on:	cted and informed b 5/4/2006	oy a letter from the Division
COMMENTS:		



Lieutenant Governor

# State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

September 29, 2008

CERTIFIED MAIL NO.: 7004 2510 0004 1824 6398

Mr. Clint Howell Wesgra Corporation P.O. Box 310367 Mexican Hat, UT 84531 43 037 30958 Noveen 81-5 428 19E 5

Re:

Second Notice of Extended Shut-in and Temporarily Abandoned Requirements for Wells

on Fee or State Leases

Dear Mr. Howell:

Wesgra Corporation ("Wesgra") has sixteen (16) Fee Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in and temporary abandonment (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

This is a second notice of non-compliance for wells 1 through 12 listed on Attachment A. For wells 1 through 10, the Division notified you (under operator name San Juan Minerals) on several occasions by certified mail about these wells non-compliance issues. Plans to PA or recomplete these wells were submitted, but no action has been taken to date. For wells 11 and 12, Wesgra was notified through certified mail dated April 16, 2004, and again in a response dated July 21, 2004. In the response, it was understood that Wesgra planned to workover these wells. The Division feels that sufficient time has passed to perform necessary work to put these in to production or to PA. Please submit your plans to produce or plug these wells. If this is not addressed within 30 days, a Notice of Violation will be issued for these wells. A similar response is required for the other four wells listed on Attachment A.



Page 2 September 29, 2008 Mr. Howell

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3)

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet

Petroleum Engineer

JP/js Enclosure

cc: Compliance File Well File

# Attachment A

	Well Name	API	Lease Type	Years Inactive
1	NORDEEN 5	43-037-20722	FEE	2 Years 8 Months
2	NORDEEN 3	43-037-30149	FEE	2 Years 8 Months
3	GOODRIDGE 81-3	43-037-30960	FEE	12 Years
4	J & L 3	43-037-31207	FEE	21 Years 6 Months
5	GOODRIDGE 91-2	43-037-31605	FEE	12 Years
6	GOODRIDGE 91-7	43-037-31613	FEE	12 Years
7	GOODRIDGE 91-16	43-037-31634	FEE	12 Years
8	GOODRIDGE 91-12	43-037-31637	FEE	12 Years
9	GOODRIDGE 1	43-037-31647	FEE	12 Years
10	J & L 3-X	43-037-31669	FEE	21 Years 6 Months
11	WESGRA 8-2	43-037-30529	FEE	12 Years
12	WESGRA 8-1	43-037-31451	FEE	12 Years
13	SAN JUAN FED 3	43-037-30420	FEE	2 Years 2 Months
14	SAN JUAN TRACT 4-2X	43-037-30733	FEE	1 Year 10 Months
15	NORDEEN 81-5	43-037-30958	FEE	4 Years 5 Months
16	NORDEEN 86-6	43-037-31254	FEE	2 Years 1 Month

# STATE OF UTAH

FORM 9

		DEPARTMENT OF NATURAL RESOU	RCES	( OKIN 9
		DIVISION OF OIL, GAS AND MI	INING	G. LEASE DESIGNATION AND SERIAL NUMBER.
_	SUNDR	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE ON TRIBE NAME.
ه_	o not use this form for proposals to unit drill harizontal	I new wells, significantly deepen existing wells bake out Heterals Use APPLICATION FOR PERMIT TO DRILL I	rrent bottom-hole dopin, reenter plugged wells, or to fatti foi such promasis	7 UNIT OF CA AGREEMENT NAME.
1	TYPE OF WELL OIL WELL		I. despite	8. WELL NAME and NUMBER:
2.	NAME OF OPERATOR			Nordeen 81 - 5
s	an Juan Minerals Explo	pration / Wesgra Corporation		9. API NUMBER. 4303730958
	ADDRESS OF OPERATOR. O. Box 310367	, Mexican Hat UT	PHONE NUMBER.	10 FIELD AND POOL, OR WILLXAT:
	LOCATION OF WELL	13 Mexican Hat 25 gr. UT 200	84531 (435) 683-2263	Mexican Hat
	FOOTAGES AT SURFACE 400'F			COUNTY San Juan
	QTR/QTR, SECTION, TOWNSHIP, RAI		9E \$	STATE.
11	CHECK APP	PROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
_	TYPE OF SUBMISSION		TYPE OF ACTION	
Z	NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
	Approximate date work will start	ALTER CABING CASING REPAIR	FRACIURE TREAT	SIDE I RACK TO REPAIR WELL
	12/15/2008	CHANGE TO PREVIOUS PLANS	NEW CONSTRUCTION	TEMPORAHILY ABANDON
		CHANGE TUBING	OPERATOR CHANGE  PLUG AND ABANDON	TUBING REPAIR
	SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	VENI OR FLARE
	(Submit Original Form Only)  Date of work completion.	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER DISPOSAL
	Date of work cyriphenoli.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	WATER SHUT-OFF
		CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	OTHER,
		n TD. to surface with cement slurn	<b>,</b>	
			C	DPY SENT TO OPERATOR
			ħ.	ate: 12 · 18 · 2008
				A 4
			<b>!n</b> i	tials: KS
NAME	(PLEASE PRINT) Clint Howe		тітсє Manager	
SIGN	ATURE 2	Howell !	DATE 11/17/2008	
(This so	ace for State use only)		OATE	
(5/2000)	APPROV OF UT	VED BY THE STATE TAH DIVISION OF GAS, AND MINING 12/16/08 (See Instruction)	ions on Reverse Side)	RECEIVED
	BY: 44.4	Buch Kettle @ 435	820,0862 priorti	ט אטא יי צטטט
	Comme	encing work.	£ 820_0862 priorti	DIV. OF OIL, GAS & MINING

12/16/2008

#### Wellbore Diagram

r263

**API Well No:** 43-037-30958-00-00

Permit No:

Well Name/No: NORDEEN 81-5

Company Name: WESGRA CORPORATION

**Location:** Sec: 5 T: 42S R: 19E Spot: SWSW **Coordinates:** X: 601858 Y: 4112870

Field Name: MEXICAN HAT
County Name: SAN JUAN

String	Information
	Dattam

String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)	(f/cf)
HOL1	275	6.125			
CLIDE	270	4.5	11.6		11 459

#### **Cement Information**

Ctuina	BOC	TOC	Class	Sacks
String	(ft sub)	(ft sub)	Class	Sacks
SURF	270	0	UK	45

275/(1.15)(11459) - 215x

**Perforation Information** 

Formation Information Formation Depth


Cement from 270 ft. to surface Surface: 4.5 in. @ 270 ft.

Hole: 6.125 in. @ 275 ft.

TD:

270 TVD:

PBTD:



## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

March 3, 2009

CERTIFIED MAIL NO.: 7004 1160 0003 0190 2549

Mr. Clint Howell Wesgra Corporation P.O. Box 310367 Mexican Hat, UT 84531 43 037 30958 Nordeen 81-5 425 19E 5

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Howell:

As of January 2009, Wesgra Corporation (Wesgra) has ten (10) Fee Lease Wells (see attachment A) that have recently been added as being in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status.

The Utah Division of Oil, Gas & Mining (Division) also wishes to remind Wesgra of the other outstanding wells that are past due in their non-compliance issues and PA proposals as previously addressed in numerous communications with Wesgra. Most recently a letter sent via certified mail September 29, 2008. Please respond to this matter within 30 days or a Notice of Violation may be issued on these wells (attachment A).

Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Please note that the Divisions preferred method for showing well integrity is by MIT

Page 2 Wesgra Corporation March 3, 2009

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely

Dustin K. Doucet Petroleum Engineer

DKD/JP/js Enclosure

cc: Compliance File Well File

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

# ATTACHMENT A

	Well Name	API	Lease Type	Years Inactive		
	FIRST NOTICE					
1	SAN JUAN FED 8	43-037-30528	FEE	1 year		
2	GOODRIDGE 80.1	43-037-30570	FEE	1 year 1 month		
3	SAN JAUN FED 10	43-037-30836	FEE	1 year		
4	SAN JUAN FED 11	43-037-30837	FEE	1 year		
5	GOODRIDGE ESTATE 21	43-037-31344	FEE	1 year		
6	GOODRIDGE ESTATE 22-A	43-037-31352	FEE	1 year		
7	GOODRIDGE ESTATE 24	43-037-31354	FEE	1 year		
8	GOODRIDGE TRUST 21B	43-037-31703	FEE	1 year		
9	GOODRIDGE TRUST 24A	43-037-31713	FEE	1 year		
10	GOODRIDGE TRUST 96-1	43-037-31782	FEE	1 year		
	PENDING	NOTICE OF VIO	LATION			
	WESGRA 8-1	43-037-31451	FEE	12 years 5 months		
	WESGRA 8-2	43-037-30529	FEE	12 years 4 months		
	GOODRIDGE 91-2	43-037-31605	FEE	12 years 5 months		
	GOODRIDGE 91-12	43-037-31637	FEE	12 years 5 months		
	GOODRIDGE 1	43-037-31647	FEE	12 years 5 months		
	GOODRIDGE 91-7	43-037-31613	FEE	12 years 5 months		
	J&L 3-X	43-037-31669	FEE	20 years 11 months		
	GOODRIDGE 81-3	43-037-30960	FEE	11 years 5 months		
	J&L 3	43-037-31207	FEE	21 years 11 months		
	NORDEEN 5	43-037-20722	FEE	3 years 1 month		
	NORDEEN 3	43-037-30149	FEE	3 years 1 month		
	SECOND NOTICE					
	NORDEEN 81-5	43-037-30958	FEE	4 years 10 months		
	SAN JUAN FED 3	43-037-30420	FEE	2 years 7 months		
	SAN JUAN TRACT 4-2X	43-037-30733	FEE	2 years 3 months		
	NORDEEN 86-6	43-037-31254	FEE	2 years 6 months		